Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

Save Date: 2017-06-05 Print Date: 2017-06-05
N:\Plats_Records_Surveys\HubTack\GLO Notes\State Archives Imaging\Roll 1903 Lawrence County Plats & Field Notes\LawrenceCounty-IndividualPages\DataSource.docx

Township No. 6 North of Range No. 1 West 2nd Mer. Indiana.

South Boundary

47.

West	On a Random line on the South Boundary of sec. 36 T. 6 N. R. 1 W.
40.00	Set a temp. 1/4 sec. post
80.00	Set a temp. 1/4 post on the Township line for the cor. of sec. 35 & 36. Sound rolling Timber Sugar, Ash, Poplar Oak &c.
West	On a Random line on the South Boundary of sec. 35. T. 6 N. R. 1 W.
40.00	Set a temp. 1/4 sec. post.
45.50	To a Brook 10 link wide, Course S.
55.00	" " do 25 " " " N.W.
80.00	Set a temp. 1/4 post for the cor. of sec. 34 & 35. Sound the same.
West	On a Random line on the South Boundary of sec. 34. T. 6 N. R. 1 W.
9.00	To a Brook 30 link wide, Course S.
15.00	" " do. 30 " " " N.W.
20.50	" " do. 30 " " " N.W.
23.00	" " do. 30 " " " N.W.
40.00	Set a 1/4 sec. post. temp.
72.00	To a Brook 200 lk wide, Course N.W.
80.00	Set a temp. 1/4 post for the cor. of sec. 33 & 34 Sound land.
West	On a Random line on the South Boundary of sec. 33. T. 6 N. R. 1 W.
40.00	Set a temp. 1/4 sec. post
80.00	Set a temp. 1/4 post for the cor. of sec. 32 & 33 Sound the same.
West	On a Random line on the South Boundary of sec. 32.

T. 6 N. R. 17 W.

West	On a Random line On the South Boundary of sec. 32 T. 6 N. R. 17 W.
* 40,00	Set a temporary post.
* 14.00	Large Brook 12 links wide. Course S. E.
80,00	Set a temporary post for the cor. of sec. 31 & 32.
	Sand rolling. Timber Oak & Hickory.
West	On a Random line On the South Boundary of sec. 31. T. 6 N. R. 17 W.
40,00	Set a temporary post.
84.46	Intersect the Range line North of the cor. of Ts. 5 & 6 N. Rs. 16 & 17 W. Sand the same.
East	On the true line On the South Boundary of sec. 31. T. 6 N. R. 17 W.
44.46	Set the temporary post on the true line from which W. Oak 12 in diam. bears N. 58 W. 7 links dist. to W. Walnut 10 " " " N. 7 W. 30 " "
84.46	Set the temporary post on the true line for the cor. of sec. 31 & 32. From which W. Oak 12 in diam. bears N. 70 E. 16 lks dist. and a Do. 12 " " " S. 8 E. 28 " "
	This mile is now thin Oak, & Hickory Timber long
East	On the true line On the South Boundary of sec. 32 T. 6 N. R. 17 W.
40,00	Set the temporary post on the true line from which Beech 12 in diam. bears N. 86 E. 15 lks dist. to Hogwood 5 " " " S. 45 E. 6 " "
80,00	Set the temporary post on the true line for the cor. of sec. 32 & 33. From which Poplar 10 in diam. bears S. 72 E. 25 lks dist. and a Walnut 10 " " " N. 15 W. 22 " "

* East	On the true line On the South Boundary of sec. 33. T. 6 N. R. 17 W.
40,00	Set the temporary post on the true line from which Sugar 10 in diam. bears N. 49 E. 13 links dist. to Beech 10 " " " S. 43 E. 10 " "
80,00	Set the temporary post on the true line for the cor. of sec. 33 & 34. From which Beech 6 in diam. bears N. 78 E. 5 lks dist. and a Sugar 10 " " " S. 12 E. 7 " "
East	On the true line On the South Boundary of sec. 35. T. 6 N. R. 17 W.
40,00	Set the temporary post on the true line from which Hickory 6 in diam. bears N. 81 E. 10 lks dist. to Dogwood 6 " " " S. 17 W. 12 " "
80,00	Set the temporary post on the true line for the cor. of sec. 35 & 36. From which Blue Ash 12 in diam. bears N. 1 E. 9 lks dist. and a Do. — " " " N. 52 E. 15 " "
East	On the true line On the South Boundary of sec. 36 T. 6 N. R. 17 W.
40,00	Set the temporary post on the true line from which Beech 8 in diam. bears N. 35 E. 17 lks dist. to Do. 12 " " " S. 78 W. 21 " "
80.00	To the cor. of Ts. 5 & 6 N. R. 16 & 17 W.

East Boundy.

D. Mn. B. 40.

North On the 2nd pr. Meridian East Boundy of Sec. 36. T. 6. N. R. 1 W. V. 766.
4.50 To a Spring Run 6 lks wide, Co. S.E.
40,00 A Beech 10 in diar. 24 links for cor of pr sec.
43.10 To a Beech. 12 in diar. 24 links in the line.
80,00 Set a post for the cor of sec. 25 & 36. from which
White Oak 30 in diar. bears S 29 E. 10 lks dist, ta
Beech. 10 " " " S 57 W. 24 " "
Land good for farming. Timber Beech, Oak, Walnut, &c.

North On the East Boundy of Sec. 25 T. 6. N. R. 1 W.
37.50 To a Brook. 8 lks wide, Course W.
40,00 Set a pr sec post from which
Buckeye 10 in diar bears S 17 E. 27 lks dist, ta
Do. 10 " " " N 60 W 3. "
80,00 Set a post for the cor of sec. 24 & 25 from which
Beech 8 in diar bears S 44 E 36 lks dist, ta
Do. 12 " " N 44 W. 34 "
Land the same.

North On the East Boundy of Sec. 24 T. 6. N. R. 1 W
1.00 To a White Oak 18 in diar. in the line.
40,00 Set a pr sec post from which
Sugar. 10 in diar bears S 18 W. 10 lks dist, ta
Beech. 8 " " " N 6 E. 27 " "
73.25. To a Brook 10 lks wide, Course W.
80,00 Set a post for the cor of sec. 13 & 24 from which
Beech. 10 in diar bears S 11 E. 45 lks dist, ta
Do. 8 " " " N 66 E. 23. "
Land the same.

North On the East Boundy of Sec. 13 T. 6. N. R. 1 W.
13.22 To a Brook. 8 lks wide, Course S. W.
40,00 Set a pr sec post from which
Beech 12 in diar bears N 77 W 8 lks dist, ta
Do. 9 " " " N 80 E. 25. "
80,00 Set a post for the cor of sec 12 & 13 from which
Beech. 10 in diar bears N 6 W. 23 lks dist, ta
Do. 14 " " " S 81 W. 19 " "
Land the same.

North On the East Boundy of Sec. 12 T. 6. N. R. 1 W.
10.50 To a Brook. 25 lks wide Course W.
40,00 Set a pr sec post from which
Beech 10 in diar bears N 59 E 12 lks dist. ta
White Oak. 12 " " " N 84 W. 20 " "
80,00 Set a post for the cor of sec 1 & 12 from which
Poplar 20 in diar bears N 66 E 7 lks dist, ta
White Oak. 10 " " " S 43 W. 19 " "
Land hilly. Timber Oak & Hickory & Beech &c.

North On the East Boundy of Sec. 1 T. 6. N. R. 1 W.
40,00 Set a pr sec post from which
Hickory 10 in diar bears N 53 W. 14 lks dist, ta
Beech. 10 " " " N 5 E. 24 " "
75.50 To a Brook 10 lks wide, Course W.
80.00 Set a post at the Exact distance of Six miles from
80.50 a stone 10 links wide cor. S.W. the South Boundy. Land the same.
83.00 Set post Cor. to Towns. Surveyed by Arthur Henrie, Cor.

North Boundy

West From the cor of Sec. 6 & 7 T. 6 N. R. 1 E & W. on the South Boundy of Sec 36 T. 7 N. R. 1 W.

* 6 & 7 N. R. 1 E & W. from which a Sugar 10 in diam. bears S 72 E 9 links
a Elm 15 " " " N 66 W 7 " "

40,00	Set a post from which,
	Beech 6 in diam. bears N.18 W. 12 lks. dist. to,
	Do. 5 " " " S.45 W. 6 " "
80,00	Set a post for the cor. of sec. 35 & 36. from which,
	Beech 16 in diam. bears S.34 E. 6 lks. dist. to,
	Do. 12 " " " N.10 E. 26 " "
	Hilly Oak land.

West	On the South Boundary of sec. 35 T. 7 N.R. 17 W.
19.25.	To a Poplar. 30 in diam. in the line,
40,00	Set a post from which,
	Mulberry 12 in diam. bears N.65 W. 36 lks. dist. to,
	Blue Ash 10 " " " S.26 E. 10 " "
80,00	Set a post for the cor. of sec. 34 & 35 from which,
	Beech 15 in diam. bears N.52 E. 8 lks. dist. to,
	Do. 9 " " " S.75 W. 13 " "
	Hilly Oak land. March 31. 1811.

West	On the South Boundary of sec. 34. T. 7 N.R. 17 W.
30.00	To a Brook 6 links wide, Course S.
40,00	Set a post from which,
	Beech 18 in diam. bears N.65 E. 8 lks. dist. to,
	Beech 12 " " " N.83 W. 20 " "
77,50	To a Creek. 250 links wide, Course S.
80,00	Set a post for the cor. of sec. 33 & 34 from which,
	Beech 30 in diam. bears N.82 W. 40 lks. dist. to,
	Elm. 10 " " " N.77 E. 27 " "
	Sand hilly Timber Oak. April 1st. 1811.

West	On the South Boundary of sec. 33. T. 7 N.R. 17 W.
26.00	To a Brook 40 lks. wide, Course W.
40,00	Set a post from which,
	Beech 12 in diam. bears S.54 W. 7 lks. dist. to,

	Sugar. 30 in diam. bears N.10 E. 25 lks. dist.
57,00	To a spring Course S.
60.00	" " Do. " S.E.
65.00	To a Sugar. 18 in diam. Stands in the line.
80,00	Set a post for the cor. of sec. 32 & 33 from which,
	Beech. 30 in diam. bears N.60 W. 11 lks. dist. to,
	Do. 30 " " " N.71 E. 27 " "
	1st 1/2 mile hilly Beech land, 2nd 1/2 mile. Rich land
	timber Sugar, Ash, Beech &c.

West	On the South Boundary of sec. 32. T. 7 N.R. 17 W.
34.00	To a Beech. 16 in diam. Standing in the line.
40,00	Set a post from which,
	Beech 12. in diam. bears N.60 E. 25 lks. dist. to,
	Sugar. 8 " " " S.77 W. 25 " "
65.00	To a Brook. 3 links wide, Course N.
80,00	Set a post for the cor. of sec. 31 & 32 from which,
	Poplar. 16 in diam. bears S.19 W. 17 lks. dist. to,
	Dogwood 8 " " " N.77 W. 27 " "
	Sandy rich Timber Sugar Walnut. Beech &c.

West	On the South Boundary of sec. 31. T. 7 N.R. 17 W.
40,00	Set a post from which,
	Dogwood 8 in diam. bears N.50 W. 25 lks. dist. to,
	Beech. 15 " " " N.6 E. 26 " "
82.75	Fell 250 lks. North of Hanie's 6 mile post Continued Range line to corner to S. 6 T. 7 N. R. 17 W. from which, Beech 30 in diam. bears S.77 W. 22 lks. dist.
	under Poplar. 30 " " " N.27 W. 38 " "
	Surveyed by
	Alexander Holmes C.S.

West Boundary

North — On the East Boundary sec. 36. T. 6 N. R. 2 W.
40,00 — Set a post from which
Hickory 10 in diam. bears S. 29 E. 26 lks dist. to
Do. 12 " " " N. 49 W. 32 "
80,00 — Set a post for the cor. sec. 25 & 36. from which
Dogwood 6 in diam. bears N. 19 E. 34 lks dist. to
Gum. 9 " " " N. 81 E. 31 "
Sundry kinds Timber Oak & Hickory, Poplar & Beech

North — On the East Boundary sec. 25 T. 6 N. R. 2 W.
13.80 — To a White Oak 12 in diam. in the line.
40,00 — Set a post from which
Beech 10 in diam. bears S. 15 W. 40 lks dist. to
White Oak 12 " " " N. 61 W. 19 " "
80,00 — Set a post for the cor. sec. 24 & 25. from which
Beech 18 in diam. bears N. 78 E. 29 lks dist. to
Do. 10 " " " N. 47 W. 23 "
Sundry kinds

North — On the East Boundary sec. 24 T. 6 N. R. 2 W.
13.00 — To a White Oak 30 in diam. in the line.
40,00 — Set a post from which
Hickory 10 in diam. bears S. 25 E. 28 lks dist. to
Dogwood 6 " " " N. 11 W. 23 "
76.00 — To a Brook 10 lks wide. Course E.
80,00 — Set a post for the cor. sec. 13 & 24 (in a spring) from which
Poplar 12 in diam. bears S. 30 W. 30 lks dist. to
Beech 20 " " " N. 55 E. 15 "
Sundry kinds Timber Oak, Beech, &c. Hilly Open

North — On the East Boundary sec. 13 T. 6 N. R. 2 W.
40,00 — Set a post from which
White Oak 9 in diam. bears N. 17 W. 23 lks dist. to

White Oak 20 in diam. bears N. 60 E. 24 lks dist.
76.50 — To a Brook 10 lks wide, Course E.
80,00 — Set a post for the cor. sec. 12 & 13 from which
Beech 20 in diam. bears N. 65 E. 11 lks dist. to
Do. 20 " " " S. 26 W. 26 "
Sundry kinds Same.

North — On the East Boundary sec. 12 T. 6 N. R. 2 W.
40,00 — Set a post from which
Sugar 6 in diam. bears S. 25 E. 7 lks dist. to
Do. 8 " " " N. 80 W. 14 "
80,00 — Set a post for the cor. sec. 1 & 12 from which
Hickory 10 in diam. bears S. 71 E. 5 lks dist. to
Sugar 12 " " " N. 8 E. 25 "
Sundry kinds Timber Sugar, Beech &c.

North — On the East Boundary sec. 1 T. 6 N. R. 2 W.
15.50 — To a Poplar 24 in diam. in the line.
40,00 — Set a post from which
White Oak 10 in diam. bears S. 26 W. 7 lks dist. to
Dogwood 6 " " " N. 10 E. 16 "
79.00 — To a Poplar 30 in diam. in the line.
80,00 — Set a post at the distance of 6 links from the South Boundary for the cor. of Sec. 6 & 1 T. 6 N. R. 1 & 2 W.

Surveyed by
Arthur St. Clair C.S.

Subdivision

North — Between Sec. 35 & 36 T. 6 N. R. 1 W.
33.00 — To a Brook 10 links wide, Course W.
40,00 — Set a post from which
Dogwood 6 in diam. bears S. 64 W. 15 lks dist. to
Beech 10 " " " N. 73 W. 21 "

49.50	To a Poplar 29 in diar in the line.
61.70	To a Beech 18 links mdr, Corner N.
80,00	Set a post for the cor sec. 25.26.35 & 36. from which,
	Sundry Timber Beech, Poplar & Sugar.
East	On a Random line between Sec. 25 & 36. T. 6 S. R. 17 W
40,00	Set a temp.y pr. sec post.
80,00	Intersect the S. B. line on East Boundy 30 lks
	South of the first cor of sec. 25 & 36.
	Sundry Sam.
West	On the Mer line between Sec. 25 & 36. T. 6 S. R. 17 W.
40,00	Set the temp.y pr. sec post on the Mer line at the cor. ask
	from which, Sugar 6 in diar bears S 70 W 16 lks dist
	Ondo Do. 8 " " " S 60 W 21 "
80.00	To the cor of sec. 25.26.35 & 36.
North	Between Sec. 25 & 36. T. 6 S. R. 17 W.
40,00	Set a pr. sec post from which,
	Immoo 6 in diar bears N 38 W. 22 lks dist. Do
	Beech. 20 " " " N 21 E. 24 "
59.50	To a Beech 12 links mdr, Corner N. W.
80,00	Set a post for the cor of sec. 23. 24. 25 & 26. from which,
	Hogmoll 10 in diar bears N 43 E. 15 lks dist. Do
	Beech. 10 " " N 72 E. 20 "
	Sundry Timber Sam.
East	On a Random line between Sec. 24 & 25 T. 6 S. R. 17 W
40,00	Set a temp.y pr. sec post.
79.86.	Intersect the East Boundy 18 lks North of the
	post cor of Sec. 24 & 25.
	Sundry Sam.

West	On the Mer line between Sec. 24 & 25 T. 6 S. R. 17 W.
39.93	Set the temp.y pr. sec post at the cor. ask on the Mer. line
	from which, Beech. 22 in diar bears S 79 E. 22 lks dist
	on do Do. 24 " " S 74 W. 18 "
79.86.	To the cor of sec. 23. 24. 25 & 26.
North	Between Sec. 23 & 24. T. 6 S. R. 17 W.
40,00	Set a pr. sec post from which,
	Immoo 6 in diar bears N 10 E 10 lks dist. Do
	Do. 8 " " " N 76 W. 7 "
73.00	To a Beech 10 links mdr, Corner N.
80,00	Set a post for the cor sec. 13. 14. 23 & 24. from which,
	Elm. 40 in diar bears S 25 W. 27 lks dist. Do
	Hickory 12 " " N 86 E. 32 "
	Sundry Sam.
East	On a Random line between Sec. 13 & 24. T. 6 S. R. 17 W.
2.50	To a Beech. 100 links mdr, Corner S. W.
00.00	" " Do. 100 " " " N. W.
40,00	Set a pr. sec temp.y post.
43.00	To a Some Beech. 100 lks mdr, Corner S. W.
80,00	Intersect the East Boundy 12 lks North of the post
	cor of sec. 13 & 24. Sundry Sam.
West	On the Mer line between Sec. 13 & 24. T. 6 S. R. 17 W.
40,00	Set a pr. sec temp.y post on the Mer line from which,
	Elm. 40 in diar bears N 54 E. 50 lks dist. Do
	B. Elm. 30 " " N 29 W. 30 "
80,00	To the post cor of sec. 13 & 24. 23 & 24
North	Between Sec. 13 & 24. T. 6 S. R. 17 W.
0.50	To a Beech 100 lks mdr, Corner N. 500 lks. W
40,00	Set a pr. sec post from which,

	Black Ash 24 in diar. bears N 10 E. 25 lks dist; to,
	Beech 6 " " " S 60 W. 9 " "
80,00	Set a post for the cor of sec. 11, 12, 13 & 14 from which,
	Walnut 20 in diar. bears N 8 W. 18 lks dist; to,
	Elm. 8 " " " S 66 W 19. "
	Sandstone Sam.

East	On a Random line between Sec. 12 & 13. T. 6 N. R. 17 W
40,00	Set a temp. pit for a post
65.00	To a Beech. 25 lks wide, Corner N. W.
79.75	Intersect the N. B. line or East Boundary 40 lks North of the post cor of sec. 12 & 13 Sandstone Sam.

West	On the true line between Sec. 12 & 13. T. 6 N. R. 17 W.
39.87½	Set the temp. pit for a post at the an. dist. on the true line from which, Beech 12 in diar. bears N 80 E 39 lks dist;
	to, Do. 12 " " " S 36 E 7 " "
79.75	To the cor of sec. 11, 12, 13 & 14.

North	Between Sec. 11 & 12. T. 6 N. R. 17 W.
40,00	Set a temp. post from which,
	Beech 12 in diar. bears N 33 W. 22 lks dist; to,
	Do. 10 " " " S 54 E 17 "
75.50	To a Beech 12 inches wide, Corner N. W.
80,00	Set a post for the cor of sec. 11, 12, 13 & 14 from which,
	Elm 8 in diar. bears N 65 W. 17 lks dist; to,
	Sugar. 8 " " " N 37 W. 22 "
	Sandstone, timber Sam.

East	On a Random line between Sec. 11 & 12. T. 6 N. R. 17 W
15.00	To a Beech 12 inches wide, Corner S.
40,00	Set a temp. pit for a post
80.25	Intersect the East Boundary 55 lks North of the post

	Cor of sec. 1 & 12 Sandstone Sam.

West	On the true line between Sec. 1 & 12. T. 6 N. R. 17 W.
40.12½	Set the temp. pit for a post on the true line at the an. dist. from which, Dogwood 6 in diar. bears N 14 W 11 lks dist;
	and to, Hickory 10 " " " N 78 W 13 "
80.25.	To the cor of sec. 1, 2, 11 & 12.

North	Between Sec. 1 & 2. T. 6 N. R. 17 W.
24.50	To a Beech 12 in diar. in the line.
40,00	Set a temp. post from which,
	Sugar 10 in diar. bears N 16 E 12 lks dist; to,
	Poplar. 24 " " " N 63 E 8 "
82.00	Intersect the N. Boundary 100 lks West of the post.
	Cor of sec. 35 & 36. T. 7 N. R. 17 W. and set a post cor of " " 1 & 2 from which,
	Dogwood 6 in diar. bears N 32 E 8 lks dist. to,
	Beech. 12 " " " N 77 W 12 "
	Sandstone Sam. April 2nd 18 14.

North	Between Sec. 34 & 35. T. 6 N. R. 17 W.
0.50	To a Beech 50 lks wide, Corner W.
17.00	" " Beech. 20 in diar. in the line.
40,00	Set a temp. post from which,
	Beech. 6 in diar. bears S 8 E 20 lks dist; to,
	Sycamore. 18 " " " S 78 E. 8 "
80,00	Set a post for the cor of sec. 26 & 27, 34 & 35. from which,
	Dogwood 6 in diar. bears S 37 E 11 lks dist; to,
	Beech. 6 " " " N 38 W. 14 "
	Sandstone, timber Beech. Sugar. Ash, & Poplar.

East	On a Random line between Sec. 26 & 35. T. 6 N. R. 17 W
40,00	Set a temp. pit for a post

79.94	Intersect the S. 15 line 8 links South of the post cor. of sec. 21, 26 35 & 36. Sand the same.
West	On the true line between Sec. 26 & 35 T. 6. N. R. 17 W.
39.97	Set the temp. 1/4 sec. post at the cor. act. on the true line from which, Bent 12 in. diam. bears N. 67 E. 57 links dist. and on Larger 6 " " " S. 29 E. 11 " "
79.94	To the cor. of sec. 26, 27, 34 & 35.
North	Between Sec. 26 & 27 T. 6. N. R. 17 W.
27.50	To a Brook 10 lks wide, Course W.
40.00	Set a 1/4 sec. post from which, Bent 20 in. diam. bears N. 64 W. 10 lks dist. to, No. 18 " " " S. 22 E. 22 " "
54.50	To a Brook 200 lks wide, Course S. W.
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which, Sycamore 10 in. diam. bears N. 18 W. 35 lks dist. to, Elm. 8 " " " S. 26 E. 28 " " Sand the hills, Timber same.
East	On a Random line between Sec. 23 & 26 T. 6. N. R. 17 W.
3.00	To a Brook 200 lks wide, course.
15.00	East side, Comes S. E.
40.00	Set a temp. 1/4 sec. post.
80.00	Intersect the S. 15 line 20 lks South of the post cor. of sec. 23, 24, 25 & 26. Sand same.
West	On the true line between Sec. 23 & 26 T. 6. N. R. 17 W.
40.00	Set the temp. 1/4 sec. post for the true line from which, Nicety 8 in. diam. bears S. 89 E. 66 lks dist. to
80.00	To the cor. of sec. 22, 23, 25 & 26.
North	Between Sec. 22 & 23. T. 6. N. R. 17 W.

0.50	To Salt Creek 200 lks wide, Course S. E.
40.00	Set a 1/4 sec. post from which, Sycamore 10 in. diam. bears N. 17 E. 29 lks dist. to, Beech 20 " " " N. 17 W. 30 " " This post is 400 lks too far South by a mistake being lost.
72.50	To a Brook 800 lks wide, Course W.
80.00	Set a post for the cor. of sec. 14, 15, 22 & 23. From which, Beech 12 in. diam. bears N. 19 E. 10 lks dist. to, No. 20 " " " S. 10 W. 28 " " Sand same.
East	On a Random line between Sec. 14 & 23 T. 6. N. R. 17 W.
20.00	Set a temp. 1/4 sec. post.
43.40	To a small 300 lks wide, bears N. 6 E. 5 W.
59.00	To a Brook 100 lks wide, Course S. W.
78.00	To. do. 100 " " " S.
80.10	Intersect the S. 15 line at the post cor. of sec. 13, 14, 23 & 24. Sand bank & net.
West	On the true line between Sec. 14 & 23. T. 6. N. R. 17 W.
40.05	Set the temp. 1/4 sec. post on the true line from which, Bent 10 in. diam. bears S. 75 W. 10 lks dist. to, No. 10 " " " S. 64 E. 9 " "
80.10	To the cor. of sec. 14, 15, 22 & 23.
North	Between Sec. 14 & 15 T. 6. N. R. 17 W.
5.50	To a Brook 200 lks wide, Course W.
40.00	Set a 1/4 sec. post from which, Bent 10 in. diam. bears N. 76 W. 20 lks dist. to, No. 8 " " " N. 55 W. 13 " "
61.50	To an Elm 18 in. diam. House in the line.
80.00	Set a post for the cor. of sec. 10, 11, 14 & 15 from which,

	Beech 24 in diam. bear. S. 79 W. 31 lks dist. to
	do. 12 " " " S. 50 E. 27 " "
	Sound land and mst.: Timber Beech Ash & Maple
East	On a random line between Sec. 11 & 14. T. 6 N. R. 1 W.
40.00	Set a temp. st. for a sec. post.
54.50	Log Brook. 200 links wide, Course S. W.
80.00	Intersect the N. & S. line. 12 links South of the post cor. of sec. 10 & 13 & 14. Sound the same.
West	On the line between Sec. 11 & 14. T. 6 N. R. 1 W.
40.00	Set the temp. st. for sec. post on the line, at an angle from white Beech. 18 in diam. bear. N. 5 W. 39 lks dist. on an old Pot-sta. 10 " " " N. 49 E. 10 " "
80.00	To the post cor. of sec. 10 11 14 & 15.
North	Return Sec. 10 & 11. T. 6 N. R. 1 W.
40.00	Set a temp. st. for sec. post from white
	Beech 8 in diam. bear. S. 7 E. 20 lks dist. to
	do. 12 " " " N. 32 W. 11 " "
46.50	Log Brook. 25 lks wide, Course E.
52.00	" do. 200 lks " " S. E.
80.00	Set a post for the cor. of sec. 2. 3. 10 & 11 from white
	Sugar. 6 in diam. bear. S. 79 W. 11 lks dist. to
	Beech 6 " " " S. 55 E. 18 " "
	Sound land and mst. Timber Beech &c.
East	On a random line between Sec. 2 & 11. T. 6 N. R. 1 W.
40.00	Set a temp. st. for a sec. post.
80.00	Intersect the N. & S. line. 12 lks. North of the post cor. of sec. 1. 2. 11 & 12. Sound hilly. Timber Beech. Oak. Hickory &c.

West	On the line between Sec. 2 & 11. T. 6 N. R. 1 W.
40.00	Set a temp. st. for a sec. post at an angle in the line from White Beech. 12 in diam. bear. N. 51 W. 17 lks dist. and on do. 12 " " " S. 82 E. 22 " "
80.00	To the post cor. of sec. 2. 3. 10 & 11.
North	Return Sec. 2 & 3. T. 6 N. R. 1 W.
40.00	Set a temp. st. for sec. post from white.
	Sweet Gum. 12 in diam. bear. N. 25 W. 44 lks dist. to
	Beech 6 " " " N. 50 E. 21 " "
82.60	Intersect the N. & S. Bound. 75 lks West of the post cor. of sec. 34 & 35. T. 7 N. R. 1 W. and set a post for the cor. of 2 & 3 from white
	Beech 12 in diam. bear. S. 6 E. 14 lks dist. to
	do. 6 " " " N. 62 W. 15 " "
	Sound same. Apl. 3d. 1814.
North	Return Sec. 35 & 34. T. 6 N. R. 1 W.
20.00	To Brook 200 lks wide, Course S. E.
40.00	On an Offset to the West
80.00	Set a post for the cor. of sec. 27. 28. 33 & 34 from white
	Hickory 18 in diam. bear. N. 62 E. 18 lks dist. to
	Sycamore 8 " " " N. 56 E. 12 " "
	Sound mst.: Timber Beech, Ash, Gum, Oak & Hickory
East	On a random line between Sec. 27. & 34. T. 6 N. R. 1 W.
14.00	To Brook 20 lks wide. Course S.
40.00	Set a temp. st. for a sec. post.
54.50	To Brook. 10 lks wide, Course S.
80.08	Intersect the N. & S. line, at the post cor. of sec. 26. 27. 34 & 35
	Sound hilly, Timber Beech, Oak & Hickory
West	On the line between Sec. 27. & 34. T. 6 N. R. 1 W.

40.00	Set the temp. pr. sec. post at the cor. dist. on the line from which Walnut 12 in diameter N 80 E. 35 links and from Ironwood " " " N 65 E. " "
10.00	Set the post cor. sec. 21 & 22

East	Run a random line between Sec. 22 & 27 T. 6 N.R. 1 W.
40.00	Set a temp. pr. sec. post.
14.00	Intersect the N. B. line at the post cor. sec. 22 & 23 & 26 & 27. Sent a tally, Limb Walnut, Poplar &c.

West	On the line between Sec. 22 & 27 T. 6 N.R. 1 W.
40.00	Set the temp. pr. sec. post at the cor. dist on the line from which Beech 24 in diameter bears N 74 E. 10 links and Maple 8 " " " S 57 W. 13 "
5.00	Set the post cor. sec. 21, 22, 27 & 28.

South	Return Sec. 21 & 22 T. 6 N.R. 1 W.
40.00	Set a temp. pr. sec. post from which, White Oak 24 in diameter bears N 67 W. 12 links distant, Sugar 10 " " " N 90 E. 8 " "

80.00	Set a post for the cor. of sec. 15, 16, 21 & 22 from which, Sugar 8 in diameter bears S 18 W. 29 links dist. to Birch 8 " " N 60 W. 4 " Sundry witness trees; Limb, Poplar, dist. &c.

East	On a random line between Sec. 15 & 22 T. 6 N.R. 1 W.
40.00	Set a temp. pr. sec. post
65.00	Sugar Tree 20 in diameter bears N. W.
80.10	Intersect the N. B. line at the cor. of sec. 14 & 15 & 22 & 23. Sunder the same.

West	On a random line between Sec. 15 & 22 T. 6 N.R. 1 W.
40.05	Set the temp. pr. sec. post at the cor. dist on the line from which, White Oak 12 in diameter bears S 71 E. 37 links dist. Sugar Elm 12 " " " N 27 W. 16 "
41.10	Set the post cor. sec. 15 & 16. 21 & 22

South	Return Sec. 15 & 16, T. 6 N. 1 W.
40.00	Set a temp. pr. sec. post from which, Ironwood 6 in diameter bears S 12 W. 4 links dist. 20, Sugar 10 " " " N 90 E. 10 "
80.00	Set a post for the cor. to sec. 9, 10, 15 & 16 from which, Beech 12 in diameter bears S 7 W. 10 links dist. Ash 10 " " " N 45 E. 19 " Sent 4 the same.

East	On a random line between Sec. 10 & 15 T. 6 N.R. 1 W.
40.00	Set a temp. pr. sec. post.
80.00	Intersect the N. B. line 19 links north of the post cor. of sec. 10, 11, 14 & 15. Sent 4 the same.

West	On the line between Sec. 10 & 15 T. 6 N.R. 1 W.
40.00	Set the temp. pr. sec. post at the cor. dist on the line from

	which Ammed 6 in diameter N 77 W. 17 lks dist.
	and on Red Bud 6 " " " N 36 E 9 " "
0.00	Set a post on gen. 9.11.15 & 16.
North	Between Sec 9 & 10. T. 6 S. R. 1 W.
25.00	Set a Beech 25 lks mk. Corner E
40.00	Set a ft. & 2 in post from which,
	Beech 20 in diameter N 77 W 8 lks dist. to,
	Do 10 " " " S 80 E 25 "
35.50	Set a Beech 12 lks mk. Corner S.E.
50.00	Set a post for the corner of sec 3 4 9 10 from which,
	Hickory 6 in diameter S 60 E 5 lks dist. to,
	Beech 10 " " " N 77 W. 20 "
	South 50 chs.
East	On a random line between Sec 3 & 10. T. 6 S. R. 1 W
10.00	Set a temp. st. for a post
45.50	Set a Beech 20 lks mk. Corner S.E.
50.00	Set a post N 45 W. line at the point on gen 9.10 & 15
	South 50 chs.
West	On a random line between Sec 3 & 10. T. 6 S. R. 1 W.
10.00	Set the temp. st. for a post at the intersection of the line
	from which, Beech 24 in diameter N 84 W. 36 lks dist. to,
	Ash 15 " " " N 37 E. 30 "
50.00	Set the corner of sec. 3 4 9 10
North	Between Sec 3 & 4. T. 6 S. R. 1 W
12.00	Set a Beech 24 in diam. on the line
40.00	Set a ft. & 2 in post from which,
	Beech 10 in diameter S 30 W 39 lks dist. to,
	White Oak 10 " " " N 37 W. 35 "
60.00	Set a Sweet Gum 20 lks mk. Corner to

81.00	Set a Sweet Gum 30 x 6 lks mk. Corner S.W.
86.41	Intersect the N. Bound of the 40 lks West of the S.E. cor. of
	Sec. 33 & 34. T. 5 S. R. 1 W and set a post for the cor.
	" 3 & 4 from which,
	Sugar 24 in diameter N 25 E 18 lks dist. to,
	Beech 16 " " " S 20 E 40 "
	Apl. 2. 1914
North	Between Sec 33 & 34. T. 6 S. R. 1 W.
40.00	Set a ft. & 2 in post from which,
	Hickory 8 in diameter S 40 E 15 lks dist. to,
	Do 10 " " " S 50 E 10 "
80.00	Set a post for the cor. of sec 3 4 33 & 34 from which
	White Oak 12 in diameter N 55 E 4 lks dist. to,
	Do 10 " " " S 50 W 31 "
	Underscribing Timber Cat. Oak, Hickory & Hick.
East	On a random line between Sec 3 & 4. T. 6 S. R. 1 W.
40.00	Set a temp. st. for a post
77.50	Set a Beech 18 lks mk. Corner S
80.00	Intersect the N 40 lks at the point on gen 3 & 4 35 & 36
	South 50 chs.
West	On a random line between Sec 33 & 34. T. 6 S. R. 1 W.
40.00	Set a temp. st. for a post at the intersection of the line
	from which, Beech 16 in diameter N 84 W. 36 lks dist.
	under " Do 8 " " " N 60 E 25 "
80.00	Set a post on gen 33 & 34 & 3 & 4
North	Between Sec 33 & 34. T. 6 S. R. 1 W.
40.00	Set a temp. st. for a post at the intersection of the line
	from which, Beech 16 in diameter N 40 E 6 lks dist.
	under " Do 8 " " " N 60 E 25 "
80.00	Set a post on gen 33 & 34 & 3 & 4
North	Between Sec 3 & 4. T. 6 S. R. 1 W
40.00	Set a ft. & 2 in post from which,
	Hickory 8 in diameter S 60 E 15 lks dist. to,
	Do 10 " " " S 50 E 10 "
80.00	Set a post for the cor. of sec 33 34 3 & 4
	Underscribing Timber Cat. Oak, Hickory & Hick.
East	On a random line between Sec 33 & 4. T. 6 S. R. 1 W.
40.00	Set a temp. st. for a post
77.50	Set a Beech 18 lks mk. Corner S
80.00	Intersect the N 40 lks at the point on gen 3 & 4 35 & 36
	South 50 chs.
West	On a random line between Sec 33 & 34. T. 6 S. R. 1 W.
40.00	Set a temp. st. for a post at the intersection of the line
	from which, Beech 16 in diameter N 40 E 6 lks dist.
	under " Do 8 " " " N 60 E 25 "
80.00	Set a post on gen 33 & 34 & 3 & 4
North	Between Sec 33 & 34. T. 6 S. R. 1 W
40.00	Set a ft. & 2 in post from which,
	White Oak 12 in diameter S 70 W 49 lks dist. to,
	Gum 10 " " " South 25 "

T. No. 6 S. R. No. 17 W. 2nd P.M. Ind.

80.00	Set a post for the cor. of sec. 26 & 28 & 29, from which, Red Oak 12 in diameter bears N. 27 W. 14 links dist. to, White Oak 20 " " " " S. 7 E. 25 " " Sundry blazed Timber Poplar, Oak, Ash, Hickory &c. Mg. Spur.

East	Chain & a half on line between Sec. 21 & 28. T. 6 N. R. 17 W.
40.00	Set a temp. 1/4 sec. post.
45.00	Log a Brook 20 links wide, Course S. E.
80.00	Intersect the N. B. line at the post cor. of sec. 21, 22, 27 & 28. Sound the same.

West	On the line between Sec. 21 & 28. T. 6 N. R. 17 W.
40.25	Set a temp. 1/4 sec. post at the cor. dist on the line from which Sycamore 6 in diameter bears N. 77 E. 15 links distant, White Oak 6 " " " N. 2 E. 6 "
80.00	Set post cor. of sec. 20, 21, 28 & 29.

North	Between Sec. 20 & 21. T. 6 N. R. 17 W.
40.00	Set a 1/4 sec. post from which, White Oak 24 in diameter bears N. 53 W. 8 links dist. to, Sycamore 6 " " " East 3 " "
40.50	Log a Brook 25 links wide, Course S. E.
80.00	Set a post for the cor. of sec. 16, 17, 20 & 21. from which, Log " a dist. bears West 39 links dist. to, Ho. 4 " " " N. 19 E. 5 " Sound the same.

East	Chain & a half on line between Sec. 16 & 21. T. 6 N. R. 17 W.
40.00	Set a temp. 1/4 sec. post.
80.00	Intersect the N. B. line 3 links North of the post cor. of Sec. 15, 16, 21 & 22. Sound the same.

T. No. 6 S. R. No. 17 W. 2nd P.M. Ind.

West	Between Sec. 16 & 21. T. 6 N. R. 17 W.
40.00	Set the temp. 1/4 sec. post on the line in the cor. dist from which, Sycamore 6 in diameter bears S. 89 W. 24 links dist. to, White Oak 10 " " " N. 28 E. 14 "
80.00	Set the post cor. of sec. 16, 17, 20 & 21.

North	Between Sec. 16 & 17. T. 6 N. R. 17 W.
40.00	Set a 1/4 sec. post from which, White Oak 16 in diameter bears N. 11 E. 11 links dist. to, Hickory 10 " " " N. 28 E. 36 "
80.00	Set a post for the cor. of sec. 8, 9, 16 & 17, from which, Hickory 8 in diameter bears N. 77 E. 11 links dist. to, No. 6 " " " N. 5 W. 30 " Sound the same.

East	On the line between Sec. 9 & 16. T. 6 N. R. 17 W.
40.00	Set a temp. 1/4 sec. post.
80.00	Log a Brook 12 links wide, Course N. E.
81.58	Intersect the N. B. line at the post cor. of sec. 9 & 16. Sound the same.

West	On the line between Sec. 9 & 16. T. 6 N. R. 17 W.
40.09	Set the temp. 1/4 sec. post on the line in the cor. dist from which, Red Oak 5 in diameter bears N. 38 W. 8 links dist. to, Sassafras 5 " " " E. 5 N. "
80.15	Set the cor. of sec. 8, 9, 16 & 17.

North	Between Sec. 8 & 9. T. 6 N. R. 17 W.
40.00	Set a 1/4 sec. post from which, Sycamore 8 in diameter bears N. 8 W. 9 links dist. to, No. 10 " " " N. 10 W. 21 "
80.00	Set a post for the cor. of sec. 4, 5, 8 & 9, from which, Red Oak 6 in diameter bears N. 45 E. 9 links dist. to

	W. Ash 10 in diam. bears N. 30 W. 11 lks dist. to, Land the same.
East	On a random line between Sec. 4 & 9 T. 6 N. R. 17 W.
40.00	Set a temp. pr. to a post.
58.00	To a Brook 10 links wide, course S.
80.00	Intersect the N. & S. line at the post cor. to sec. 3 4 9 10
	Land very rich timber same.
West	On a random line between Sec. 4 & 9 T. 6 N. R. 17 W.
40.05	Set the temp. pr. to a post at the cor. to sec. on the west line from which, Bearing 6 in diam. bears N. 86 E. 18 lks dist. and a Dogwood 6 " " N. 40 W. 16 " "
80.10	To the post cor. to sec. 4. 5. 8 & 9.
North	Between Sec. 4 & 5 T. 6 N. R. 17 W.
6.50	To a Beech 12 in diam. in the line.
40.00	Set a pr. to a post from which, Beech 12 in diam. bears S. 22 E. 22 lks dist. to, Do. 10 " " " N. 28 W. 12 " "
42.00	To a Brook 15 lks wide, course E.
45.00	a Sycamore 36 in. dia.
86.50	Intersect the North & W. 1/4 cor. the West of the post cor. of Sec. 32 & 33 T. 7 N. R. 17 W. and set a post for the cor. of Sec. 4 & 5 from which, Beech 12 in diam. bears S. 82 W. 8 lks dist. to, Do. 10 " " " N. 83 E. 50 " " Land same. Surveyed April 6. 1814
	~~The following line is a extract of a page in the writing of John Milroy & appears to be a resume of the last named line.~~
~~North.~~	~~Between Sec. 4 & 5 Beginning at the pr. mon. post T. 6 N. R. 17 W.~~

2.00	~~To a Brook 15 links wide, course S. E.~~
5.00	~~To a Sycamore 36 in. dia. in the line.~~
46.50	~~Intersect the N. & S. 1/4 cor. the West of the post cor. of sec. 32 & 33 T. 7 N. R. 17 W. and set a post for the cor. 4 & 5 from which, Beech 12 in diam. bears S. 82 W. 8 lks dist. to, Do. 10 " " " N. 83 E. 50 " "~~
North	Between Sec. 31 & 32 T. 6 N. R. 17 W.
40.00	Set a pr. to a post from which, Beech 10 in diam. bears N. 29 E. 25 lks dist. to, Do. 10 " " " N. 57 W. 25 " "
62.00	To a Brook 25 lks wide, course E.
80.00	Set a post for the cor. of sec. 29. 30. 31 & 32 from which, Dogwood 4 in diam. bears N. 45 E. 14 lks dist. to, Do. 8 " " " N. 70 W. 21 " " Land rolling; timber Oak, Hickory, & Poplar.
East	On a random line between Sec. 29 & 32 T. 6 N. R. 17 W.
40.00	Set a temp. pr. to a post
80.86	Intersect the N. & S. line at the post cor. of sec. 28. 29. 32 & 33. Land the same.
West	On the town line between Sec. 29 & 32. T. 6 N. R. 17 W.
40.05	Set the temp. pr. to a post on the town line from which, Beech 12 in diam. bears N. 62 E. 48 lks dist. to, Dogwood 6 " " " N. 60 W. 22 " "
80.06	To the post cor. of sec. 29. 30. 31 & 32.
West	Between Sec. 30 & 31 T. 6 N. R. 17 W.
5.00	To a Brook 20 lks wide, course S.
40.00	Set a pr. to a post from which, White Oak 20 in diam. bears N. 55 E. 25 lks dist. to

	White Oak 12 in diam. bears S.E. 20 links dist. to a
83.12	Intersect the West Boundary 54 links South of the post cor. of sec. 25 & 36. T. 6 N. R. 2 W. and set a post for the " " " 30 & 31. from which
	Dogwood 6 in diam. bears S.79 E. 39 lks dist. to a
	White Oak 12 " " " N.64 E. 54 " "
	Land the same. April 8. 1844.
North	Between Sec. 29 & 30. T. 6 N. R. 1 W.
40.00	Set a ¾ sup. post from which
	White Oak 12 in diam. bears S.75 E. 25 lks dist. to a
	Black Oak 10 " " " S.38 W. 16 " "
80.00	Set a post for the cor. of sec. 19. 20. 29 & 30 from which
	White Oak 18 in diam. bears S.85 E. 10 lks dist. to a
	Hickory 10 " " " S.75 W. 16 " "
	Land adjoining Timber Oak & Hickory
East	On a Random line between Sec. 20 & 29. T. 6 N. R. 1 W.
40.00	Set a temp. ¾ sup. post
80.00	Intersect the N. & S. line at the post cor. of sec. 20. 21. 28 & 29. Land the same.
West	On the true line between Sec. 20 & 29. T. 6 N. R. 1 W.
40.00	Set the temp. ¾ sup. post on the true line from which
	Beech 20 in diam. bears S.29 E. 25 lks dist. to a
	Do. 20 " " " N.52 W. 35 " "
80.00	To the post cor. of sec. 19. 20. 29 & 30.
West	Between Sec. 19 & 30. T. 6 N. R. 2 W.
14.00	To a White Oak 20 in diam. on the line
40.00	Set a ¾ sup. post from which
	Hickory 8 in diam. bears N.86 E. 30 lks dist. to a
	White Oak 12 " " " S.77 W. 25 " "

83.13	Intersect the West Boundary 29 links South of the post cor. of sec. 24 & 25 T. 6 N. R. 2 W. and set a post for " " 19 & 30 from which
	Bud. 3 in diam. bears N.10 W. 8 lks dist. to a
	Do. 5 " " " S.72 E. 8 " "
	Land bord Timber Oak & Hickory
North	Between Sec. 19 & 20. T. 6 N. R. 1 W.
40.00	Set a ¾ sup. post from which
	White Oak 20 in diam. bears S.1 W. 30 lks dist. to a
	White Oak 6 " " " N.52 E. 10 " "
1.50	To a Brook 18 lks wide, Course S.E.
80.00	Set a post for the cor. of sec. 17. 18. 19 & 20 from which
	Red Bud 6 in diam. bears N.27 W. 35 lks dist. to a
	Sugar 8 " " " N.10 E. 7 " "
	Land the same.
East	On a Random line between Sec. 17 & 20. T. 6 N. R. 1 W.
1.50	To a Brook 18 lks wide, Course S.E.
40.00	Set a temp. ¾ sup. post.
80.12	Intersect the N. & S. line at the post cor. of sec. 16. 17. 20 & 21
	Land the same.
West	On the true line between Sec. 17 & 20. T. 6 N. R. 2 W.
40.06	Set the temp. ¾ sup. post at the cor. dist. on the true line from which Hickory 10 in diam. bears S.61 W. 19 lks dist.
	and Do. 20 " " " N.48 E. 17 " "
80.12	To the post cor. of sec. 17. 18. 19 & 20.
West	Between Sec. 18 & 19. T. 6 N. R. 1 W.
40.00	Set a ¾ sup. post from which
	Beech 6 in diam. bears S.23 W. 6 lks dist. to a
	Ironwood — " " " S.74 E. 8 " "

82.50	Intersect the West Boundy 68 links South of the post cor of sec. 13 & 24. T. 6 N R. 2 W and set a " " " " 18 & 19 from which, Beech 10 in diar bears N 64 E. 19 lks dist; to, Do. 20 " " " S 48 W. 24 " , Sand the same.
North	Between Sec. 17 & 18 T. 6 N R. 1 W.
5.00	To a Brook. 18 links wide, Course S. E.
40.00	Set a Pro sup post from which, Beech 20 in diar bears North 50 lks dist, to,
80.00	Set a post for the cor. of sec. 7. 8. 17 & 18 from which, W Oak 18 in diar bears N 28 W. 24 lks dist, to, Do. 10 " " " S 75 E. 14 " , Sand the same.
East	On a Random line between Sec. 8 & 17. T. 6 N R 1 W
40.00	Set a temp. Pro sup post.
80.10	Intersect the N & S line 17 links South of the post cor of sec 8. 9. 16 & 17. Sand the same.
West	On the Com line Between Sec 8 & 17. T. 6 N R. 1 W.
40.05	Set the temp. Pro sup post at the cor. dist on the com line from which, Sugar 8 in diar bears N 74 W. 35 lks dist and, W Oak 10 " " " S 73 E. 34 " "
80.10	To the post cor of sec. 7. 8. 17 & 18.
West	Between Sec. 7 & 18. T. 6 N R 1 W.
40.00	Set a Pro sup post from which, cor.
	Ironwood 8 in diar bears N 60 W. 20 lks dist, to, Dogwood 6 " " " N 85 E. 13 " ,
42.00	To a Brook 10 links wide, Course South.
82.50	Intersect the West Boundy 50 links South of the

	post cor of sec. 12 & 13. T. 6 N R. 2 W and set a post cor of sec 7 & 18. from which, Beech. 12 in diar bears N 14 W. 11 lks dist; & cor Elm 8 " " " S 86 E. 17 " , Sandstone rock on do rolling. Timber Same.
North	Between Sec. 7 & 8. T. 6 N R. 1 W.
40.00	Set a Pro sup post from which, Beech. 20 in diar bears N 9 W. 29 lks dist. to, Do. 8 " " " N 56 W. 16 " ,
46.05.	To a W Oak. 12 in diar in the Mire
80.00	Set a post for the cor of sec 5. 6 & 7 & 8 from which, W Oak. — in diar bears N 82 W. 8 lks dist. to, Poplar 10 " " " N 35 W. 30. " , Sand the Same.
East	On a Random line between Sec. 5. & 8 T. 6 N R 1 W
40.00	Set a temp. Pro sup post.
58.00	To a Brook. 8 lks wide, Course N.
80.00	Intersect the N & S line 12 links North of the post cor of Sec 4. 5. 8 & 9. Sand the Same.
West	On the Com line between Sec 5 & 8 T. 6 N R. 1 W.
40.00	Set a temp. Pro sup post at the cor. dist on the Com line from which, W Oak 12 in diar bears N. 51 E. 17 lks dist and, Beech. 10 " " " S 51 W. 21 " ,
80.00	To the post cor. of sec. 5. 6. & 8
West	Between Sec. 6 & 7. T. 6 N R. 1 W.
40.00	Set a Pro sup post from which, Beech 8 in diar bears N 80 E. 43 links dist, to, Do. 10. " " S 50 E. 10 " ,
83.27	Intersect the West Boundy 48 links South of the post

	cor of sec. 1 & 12 T. 6 N R. 2 W and set a post for the
	" " 6 & 7 from which
	Beech 12 in diam bears S 69 E 13 links dist. to
	Dogwood 6 " " N 2 E 8 " "
	Land the same.
North	Between Sec. 6 & 5 T. 6 N R. 1 W
40.00	Set a post for cor. from which
	Beech 10 in diam bears S 38 W 5 links dist. to
	Hickory 12 " " N 14 W 13 "
84.78	Intersect the N Boundary 53 links West of the post cor.
	of sec. 31 & 32 T. 7 N R. 1 W and set a post for the
	cor of sec 5 & 6 from which
	Beech 18 in diam bears S 22 E 21 lks dist. to
	Do. 10 " " N 75 W 13 "
	Land the same. Apl. 7th 1814.
	Surveyed by
	Arthur Henrie,
	Dep'y Sur.
North	Between Sec. 3 & 4 T. 6 N R. 1 W. from the post
	in the writing of John Milroy. 1st March 1823.
25.09	Intersect Salt Creek 350 lks mea. S.E.
42.00	Intersect Salt Creek 300 " " mea. S.W.
46.41	Intersect the N Boundary 112 links West of the post cor.
	of Sec 31 & 32 T. 7 N R. 1 W and set a post for the cor
	" " 5 & 6 T. 6 N from which
	Sycamore 24 in diam bears N 25 W 6 lks dist. to
	Beech 7 " " S 35 E 10 " "

Corrected

I certify that the foregoing Transcript of the field notes of Township No. 6 North of Range No. 1 West of the 2nd Mer. Ind. has been compared with the Original notes of the township in this Office & found to be correct.

Surveyor General's Office,
Cincinnati, Oct. 16 1851

Sur. General.